

**SLC35C2 Antibody (C-term) Blocking peptide**  
**Synthetic peptide**  
**Catalog # BP5998b****Specification**

---

**SLC35C2 Antibody (C-term) Blocking peptide - Product Information**

Primary Accession [O9NQO7](#)  
Other Accession [NP\\_775096.1](#), [NP\\_057029.8](#), [NP\\_775271.1](#)

**SLC35C2 Antibody (C-term) Blocking peptide - Additional Information**

**Gene ID** 51006

**Other Names**

Solute carrier family 35 member C2, Ovarian cancer-overexpressed gene 1 protein, SLC35C2, C20orf5, OVCOV1

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**SLC35C2 Antibody (C-term) Blocking peptide - Protein Information**

**Name** SLC35C2 ([HGNC:17117](#))

**Function**

May play an important role in the cellular response to tissue hypoxia. May be either a GDP-fucose transporter that competes with SLC35C1 for GDP-fucose, or a factor that otherwise enhances the fucosylation of Notch and is required for optimal Notch signaling in mammalian cells.

**Cellular Location**

Golgi apparatus, cis-Golgi network membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein

**Tissue Location**

Ubiquitously expressed although the level of expression is tissue dependent. Overexpressed in ovarian cancer

**SLC35C2 Antibody (C-term) Blocking peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

**SLC35C2 Antibody (C-term) Blocking peptide - Images**