

### FTH1 Antibody (C-term) Blocking Peptide Synthetic peptide

Catalog # BP6886b

## Specification

# FTH1 Antibody (C-term) Blocking Peptide - Product Information

Primary Accession

<u>P02794</u>

## FTH1 Antibody (C-term) Blocking Peptide - Additional Information

Gene ID 2495

**Other Names** 

Ferritin heavy chain, Ferritin H subunit, Cell proliferation-inducing gene 15 protein, Ferritin heavy chain, N-terminally processed, FTH1, FTH, FTHL6

#### Target/Specificity

The synthetic peptide sequence used to generate the antibody <a href=/products/AP6886b>AP6886b</a> was selected from the C-term region of human FTH1. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### **Storage** Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions** This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## FTH1 Antibody (C-term) Blocking Peptide - Protein Information

Name FTH1

Synonyms FTH, FTHL6

Function

Stores iron in a soluble, non-toxic, readily available form. Important for iron homeostasis. Has ferroxidase activity (PubMed:<a href="http://www.uniprot.org/citations/9003196" target="\_blank">9003196</a>). Iron is taken up in the ferrous form and deposited as ferric hydroxides after oxidation (PubMed:<a href="http://www.uniprot.org/citations/9003196" target="\_blank">9003196</a>). Iron is taken up in the ferrous form and deposited as ferric hydroxides after oxidation (PubMed:<a href="http://www.uniprot.org/citations/9003196" target="\_blank">9003196</a>). Iron is taken up in the ferrous form and deposited as ferric hydroxides after oxidation (PubMed:<a href="http://www.uniprot.org/citations/9003196" target="\_blank">9003196</a>). Also plays a role in delivery of iron to cells (By similarity). Mediates iron uptake in capsule cells of the developing kidney (By similarity).

Cellular Location Cytoplasm {ECO:0000250|UniProtKB:P19130}.



**Tissue Location** Expressed in the liver.

## FTH1 Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

Blocking Peptides

## FTH1 Antibody (C-term) Blocking Peptide - Images

### FTH1 Antibody (C-term) Blocking Peptide - Background

FTH1 is the heavy subunit of ferritin, the major intracellular iron storage protein in prokaryotes and eukaryotes. It is composed of 24 subunits of the heavy and light ferritin chains. Variation in ferritin subunit composition may affect the rates of iron uptake and release in different tissues. A major function of ferritin is the storage of iron in a soluble and nontoxic state. Defects in ferritin proteins are associated with several neurodegenerative diseases.

### FTH1 Antibody (C-term) Blocking Peptide - References

Almeida, R.S., et.al., PLoS Pathog. 4 (11), E1000217 (2008)