

PRKY Antibody (C-term) Blocking peptide
Synthetic peptide
Catalog # BP7197b**Specification**

PRKY Antibody (C-term) Blocking peptide - Product Information

Primary Accession [O43930](#)

PRKY Antibody (C-term) Blocking peptide - Additional Information**Other Names**

Putative serine/threonine-protein kinase PRKY, PRKY

Target/Specificity

The synthetic peptide sequence used to generate the antibody [AP7197b](/product/products/AP7197b) was selected from the C-terminal region of human PRKY. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

PRKY Antibody (C-term) Blocking peptide - Protein Information

Name PRKY

Tissue Location

Ubiquitous..

PRKY Antibody (C-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

PRKY Antibody (C-term) Blocking peptide - Images**PRKY Antibody (C-term) Blocking peptide - Background**

This gene encodes a member of the cAMP-dependent serine/threonine protein kinase family. This

gene is located on chromosome Y, near the boundary of the pseudoautosomal region. Abnormal recombination between this gene and a related gene on chromosome X is a frequent cause of XX males and XY females.

PRKY Antibody (C-term) Blocking peptide - References

Skaletsky, H., et al., Nature 423(6942):825-837 (2003). Jobling, M.A., et al., Curr. Biol. 8(25):1391-1394 (1998). Schiebel, K., et al., Hum. Mol. Genet. 6(11):1985-1989 (1997). Glaser, B., et al., Chromosome Res. 5(1):23-30 (1997). Klink, A., et al., Hum. Mol. Genet. 4(5):869-878 (1995).