

## **SERPINA4 Antibody (Center) Blocking Peptide**

Synthetic peptide Catalog # BP7455c

### **Specification**

# **SERPINA4 Antibody (Center) Blocking Peptide - Product Information**

**Primary Accession** 

P29622

# SERPINA4 Antibody (Center) Blocking Peptide - Additional Information

**Gene ID 5267** 

#### **Other Names**

Kallistatin, Kallikrein inhibitor, Peptidase inhibitor 4, PI-4, Serpin A4, SERPINA4, KST, PI4

### **Target/Specificity**

The synthetic peptide sequence used to generate the antibody <a href=/products/AP7455c>AP7455c</a> was selected from the Center region of human SERPINA4. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## **SERPINA4 Antibody (Center) Blocking Peptide - Protein Information**

Name SERPINA4

Synonyms KST, PI4

### **Function**

Inhibits human amidolytic and kininogenase activities of tissue kallikrein. Inhibition is achieved by formation of an equimolar, heat- and SDS-stable complex between the inhibitor and the enzyme, and generation of a small C-terminal fragment of the inhibitor due to cleavage at the reactive site by tissue kallikrein.

### **Cellular Location**

Secreted.

#### **Tissue Location**

Expressed by the liver and secreted in plasma.



## **SERPINA4 Antibody (Center) Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

## • Blocking Peptides

SERPINA4 Antibody (Center) Blocking Peptide - Images

## SERPINA4 Antibody (Center) Blocking Peptide - Background

SERPINA4 inhibits human amidolytic and kininogenase activities of tissue kallikrein. The inhibition is achieved by formation of an equimolar, heat- and SDS-stable complex between the inhibitor and the enzyme, and generation of a small C-terminal fragment of the inhibitor due to cleavage at the reactive site by tissue kallikrein.

### SERPINA4 Antibody (Center) Blocking Peptide - References

Chai K.X., Chen L.-M.J. Biol. Chem. 268:24498-24505(1993)Chai K.X., Ward D.C.Genomics 23:370-378(1994)Zhou G.X., Chao L.J. Biol. Chem. 267:25873-25880(1992)