

CA7 Antibody (N-term) Blocking Peptide Synthetic peptide Catalog # BP7479a

Specification

CA7 Antibody (N-term) Blocking Peptide - Product Information

Primary Accession

<u>P43166</u>

CA7 Antibody (N-term) Blocking Peptide - Additional Information

Gene ID 766

Other Names Carbonic anhydrase 7, Carbonate dehydratase VII, Carbonic anhydrase VII, CA-VII, CA7

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions This product is for research use only. Not for use in diagnostic or therapeutic procedures.

CA7 Antibody (N-term) Blocking Peptide - Protein Information

Name CA7

Function Reversible hydration of carbon dioxide.

Cellular Location Cytoplasm.

CA7 Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

<u>Blocking Peptides</u>

CA7 Antibody (N-term) Blocking Peptide - Images

CA7 Antibody (N-term) Blocking Peptide - Background

CA4 is a large family of zinc metalloenzymes that catalyze the reversible hydration of carbon dioxide. They participate in a variety of biological processes, including respiration, calcification,



acid-base balance, bone resorption, and the formation of aqueous humor, cerebrospinal fluid, saliva, and gastric acid. They show extensive diversity in tissue distribution and in their subcellular localization. This protein is a glycosylphosphatidyl-inositol-anchored membrane isozyme expressed on the luminal surfaces of pulmonary (and certain other) capillaries and proximal renal tubules. Its exact function is not known; however, the protein may have a role in inherited renal abnormalities of bicarbonate transport.

CA7 Antibody (N-term) Blocking Peptide - References

Okuyama T., Sato S.Proc. Natl. Acad. Sci. U.S.A. 89:1315-1319(1992)Okuyama T.Genomics 16:678-684(1993)Yang Z., Alvarez B.V.Hum. Mol. Genet. 14:255-265(2005)Okuyama T.Arch. Biochem. Biophys. 320:315-322(1995)