

HRAS Antibody (Center) Blocking Peptide
Synthetic peptide
Catalog # BP7764c**Specification**

HRAS Antibody (Center) Blocking Peptide - Product InformationPrimary Accession [P01112](#)**HRAS Antibody (Center) Blocking Peptide - Additional Information****Gene ID** 3265**Other Names**

GTPase HRas, H-Ras-1, Ha-Ras, Transforming protein p21, c-H-ras, p21ras, GTPase HRas, N-terminally processed, HRAS, HRAS1

Target/Specificity

The synthetic peptide sequence used to generate the antibody [AP7764c](/products/AP7764c) was selected from the Center region of human HRAS. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

HRAS Antibody (Center) Blocking Peptide - Protein Information**Name** HRAS**Synonyms** HRAS1**Function**

Involved in the activation of Ras protein signal transduction (PubMed: [22821884](http://www.uniprot.org/citations/22821884)). Ras proteins bind GDP/GTP and possess intrinsic GTPase activity (PubMed: [12740440](http://www.uniprot.org/citations/12740440), PubMed: [14500341](http://www.uniprot.org/citations/14500341), PubMed: [9020151](http://www.uniprot.org/citations/9020151)).

Cellular Location

Cell membrane; Lipid-anchor; Cytoplasmic side. Golgi apparatus. Golgi apparatus membrane;

Lipid-anchor. Note=The active GTP-bound form is localized most strongly to membranes than the inactive GDP-bound form (By similarity). Shuttles between the plasma membrane and the Golgi apparatus.

Tissue Location

Widely expressed..

HRAS Antibody (Center) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

HRAS Antibody (Center) Blocking Peptide - Images**HRAS Antibody (Center) Blocking Peptide - Background**

HRAS belongs to the Ras oncogene family, whose members are related to the transforming genes of mammalian sarcoma retroviruses. These proteins function in signal transduction pathways. They can bind GTP and GDP, and they have intrinsic GTPase activity. HRAS undergoes a continuous cycle of de- and re-palmitoylation, which regulates its rapid exchange between the plasma membrane and the Golgi apparatus. Mutations in this gene cause Costello syndrome, a disease characterized by increased growth at the prenatal stage, growth deficiency at the postnatal stage, predisposition to tumor formation, mental retardation, skin and musculoskeletal abnormalities, distinctive facial appearance and cardiovascular abnormalities. Defects in the HRAS gene are implicated in a variety of cancers, including bladder cancer, follicular thyroid cancer, and oral squamous cell carcinoma.

HRAS Antibody (Center) Blocking Peptide - References

Winter-Vann,A.M., Proc. Natl. Acad. Sci. U.S.A. 100 (11), 6529-6534 (2003)Coats,S.G., Biochemistry 38 (39), 12926-12934 (1999)Sakai,E., Int. J. Cancer 52 (6), 867-872 (1992)