

### TBB5 Antibody (Center S153) Blocking Peptide

Synthetic peptide Catalog # BP7858d

### **Specification**

### TBB5 Antibody (Center S153) Blocking Peptide - Product Information

**Primary Accession** 

P07437

# TBB5 Antibody (Center S153) Blocking Peptide - Additional Information

**Gene ID 203068** 

#### **Other Names**

Tubulin beta chain, Tubulin beta-5 chain, TUBB, TUBB5

## **Target/Specificity**

particular assay.

The synthetic peptide sequence used to generate the antibody <a href=/products/AP7858d>AP7858d</a> was selected from the Center region of human TBB5. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### TBB5 Antibody (Center S153) Blocking Peptide - Protein Information

**Name TUBB** 

**Synonyms** TUBB5

#### **Function**

Tubulin is the major constituent of microtubules, a cylinder consisting of laterally associated linear protofilaments composed of alpha- and beta-tubulin heterodimers. Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below the cap, tubulin dimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin.

#### **Cellular Location**

Cytoplasm, cytoskeleton

#### **Tissue Location**

Ubiquitously expressed with highest levels in spleen, thymus and immature brain.



### TBB5 Antibody (Center S153) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

### • Blocking Peptides

TBB5 Antibody (Center S153) Blocking Peptide - Images

# TBB5 Antibody (Center S153) Blocking Peptide - Background

Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha-chain.

### TBB5 Antibody (Center S153) Blocking Peptide - References

Wiesen, K.M., Cancer Lett. 257 (2), 227-235 (2007) Navarro-Nunez, L., Haematologica 92 (4), 513-518 (2007) Volz, A., Hum. Genet. 93 (1), 42-46 (1994)