

MAP2K5 Antibody (S149) Blocking peptide

Synthetic peptide Catalog # BP7906f

Specification

MAP2K5 Antibody (S149) Blocking peptide - Product Information

Primary Accession

<u>013163</u>

MAP2K5 Antibody (\$149) Blocking peptide - Additional Information

Gene ID 5607

Other Names

Dual specificity mitogen-activated protein kinase kinase 5, MAP kinase kinase 5, MAPKK 5, MAPK/ERK kinase 5, MEK 5, MAP2K5, MEK5, MKK5, PRKMK5

Target/Specificity

The synthetic peptide sequence used to generate the antibody AP7906f was selected from the S149 region of human MAP2K5. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

MAP2K5 Antibody (\$149) Blocking peptide - Protein Information

Name MAP2K5

Synonyms MEK5, MKK5, PRKMK5

Function

Acts as a scaffold for the formation of a ternary MAP3K2/MAP3K3-MAP3K5-MAPK7 signaling complex. Activation of this pathway appears to play a critical role in protecting cells from stress-induced apoptosis, neuronal survival and cardiac development and angiogenesis. As part of the MAPK/ERK signaling pathway, acts as a negative regulator of apoptosis in cardiomyocytes via promotion of STUB1/CHIP-mediated ubiquitination and degradation of ICER-type isoforms of CREM (By similarity).

Tissue Location

Expressed in many adult tissues. Abundant in heart and skeletal muscle



MAP2K5 Antibody (S149) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

• Blocking Peptides

MAP2K5 Antibody (\$149) Blocking peptide - Images

MAP2K5 Antibody (\$149) Blocking peptide - Background

MAP2K5 is a dual specificity protein kinase that belongs to the MAP kinase kinase family. It specifically interacts with and activates MAPK7/ERK5. This kinase itself can be phosphorylated and activated by MAP3K3/MEKK3, as well as by atypical protein kinase C isoforms (aPKCs). The signal cascade mediated by MAP2K5 is involved in growth factor stimulated cell proliferation and muscle cell differentiation.

MAP2K5 Antibody (S149) Blocking peptide - References

Raviv,Z.,J. Cell. Sci. 117 (PT 9), 1773-1784 (2004)Kato,Y.,EMBO J. 16 (23), 7054-7066 (1997)English,J.M.,J. Biol. Chem. 274 (44), 31588-31592 (1999)