

# MEKK3 Antibody (N-term) Blocking Peptide

Synthetic peptide Catalog # BP7909a

## **Specification**

## MEKK3 Antibody (N-term) Blocking Peptide - Product Information

Primary Accession

## MEKK3 Antibody (N-term) Blocking Peptide - Additional Information

**Gene ID 4215** 

#### **Other Names**

Mitogen-activated protein kinase kinase kinase 3, MAPK/ERK kinase kinase 3, MEK kinase 3, MEKK 3, MAPKKK3, MEKK3

099759

## **Target/Specificity**

The synthetic peptide sequence used to generate the antibody <a href=/product/products/AP7909a>AP7909a</a> was selected from the N-term region of human MEKK3 . A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### MEKK3 Antibody (N-term) Blocking Peptide - Protein Information

Name MAP3K3

Synonyms MAPKKK3, MEKK3

## **Function**

Component of a protein kinase signal transduction cascade. Mediates activation of the NF-kappa-B, AP1 and DDIT3 transcriptional regulators.

## MEKK3 Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.



## • Blocking Peptides

## MEKK3 Antibody (N-term) Blocking Peptide - Images

# MEKK3 Antibody (N-term) Blocking Peptide - Background

Mitogen-activated protein kinase (MAPK) signaling cascades include MAPK or extracellular signal-regulated kinase (ERK), MAPK kinase (MKK or MEK), and MAPK kinase kinase (MAPKKK or MEKK). MAPKK kinase/MEKK phosphorylates and activates its downstream protein kinase, MAPK kinase/MEK, which in turn activates MAPK. The kinases of these signaling cascades are highly conserved, and homologs exist in yeast, Drosophila, and mammalian cells. MEKK3 preferentially activates p42/44 (ERK2/ERK1) MAP kinases.

## MEKK3 Antibody (N-term) Blocking Peptide - References

Ellinger-Ziegelbauer, H., et al., J. Biol. Chem. 272(5):2668-2674 (1997).