

Recombinant Murine IL-13
Catalog # PBG10192**Specification**

Recombinant Murine IL-13 - Product Information**Recombinant Murine IL-13 - Additional Information****Description**

IL-13 is an immunoregulatory cytokine produced primarily by activated Th2 cells, and also by mast cells and NK cells. Targeted deletion of IL-13 in mice resulted in impaired Th2 cell development and indicated an important role for IL-13 in the expulsion of gastrointestinal parasites. IL-13 exerts anti-inflammatory effects on monocytes and macrophages and it inhibits the expression of inflammatory cytokines such as IL-1 β , TNF- α , IL-6 and IL-8. IL-13 has also been shown to enhance B cell proliferation and to induce isotype switching resulting in increased production of IgE. Blocking of IL-13 activity inhibits the pathophysiology of asthma. Human and murine IL-13 is cross-species reactive. Recombinant murine IL-13 is a 12.3 kDa protein consisting of 111 amino acid residues.

Biological Activity

The ED₅₀ as determined by the dose-dependent proliferation of TF-1 cells was < 4.0 ng/ml, corresponding to a specific activity of > 2.5 x 10⁵ units/mg.

Authenticity

Verified by N-terminal and Mass Spectrometry analyses (when applicable).

Endotoxin

Endotoxin level is <0.1 ng/ μ g of protein (<1EU/ μ g).

Protein Content

Verified by UV Spectroscopy and/or SDS-PAGE gel.

Storage

-20°C

Precautions

Recombinant Murine IL-13 is for research use only and not for use in diagnostic or therapeutic procedures.

Recombinant Murine IL-13 - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)

- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Recombinant Murine IL-13 - Images