

**Recombinant Murine IL-3**  
**Catalog # PBG10225****Specification**

---

**Recombinant Murine IL-3 - Product Information****Recombinant Murine IL-3 - Additional Information****Description**

IL-3 is a hematopoietic growth factor that promotes the survival, differentiation and proliferation of committed progenitor cells of the megakaryocyte, granulocyte-macrophage, erythroid, eosinophil, basophil and mast cell lineages. Produced by T cells, mast cells and eosinophils, IL-3 enhances thrombopoieses, phagocytosis, and antibody-mediated cellular cytotoxicity. Its ability to activate monocytes suggests that IL-3 may have additional immunoregulatory roles. Many of the IL-3 activities depend upon co-stimulation with other cytokines. IL-3 is species-specific, variably glycosylated cytokine. Recombinant murine IL-3 is a 15.1 kDa globular protein containing 135 amino acid residues.

**Biological Activity**

The ED<sub>50</sub> as determined by the dose-dependent stimulation of the proliferation of murine NFS-60 cells is  $\leq 0.05$  ng/ml, corresponding to a specific activity of  $\geq 2 \times 10^7$  units/mg.

**Authenticity**

Verified by N-terminal and Mass Spectrometry analyses (when applicable).

**Endotoxin**

Endotoxin level is  $<0.1$  ng/  $\mu$ g of protein ( $<1$ EU/  $\mu$ g).

**Protein Content**

Verified by UV Spectroscopy and/or SDS-PAGE gel.

**Storage**

-20°C

**Precautions**

Recombinant Murine IL-3 is for research use only and not for use in diagnostic or therapeutic procedures.

**Recombinant Murine IL-3 - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)

- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## **Recombinant Murine IL-3 - Images**