

Recombinant Human MMP-2

Catalog # PBG10321

Specification

Recombinant Human MMP-2 - Product Information

Recombinant Human MMP-2 - Additional Information

Description

Matrix metalloproteinases (MMPs) are a family of endoproteases that require zinc and calcium for expressing catalytic activity. These enzymes play a central role in the maintenance and remodeling of the extracellular matrix. Elevated expression of their activity, caused either by up-regulation of their expression or down-regulation of their cognate inhibitors, has been implicated in various degenerative disorders, including arthritis, cardiovascular disease, skeletal growth-plate disorders, and cancer metastasis. MMP-2 is a secreted collagenase with specificity toward Type IV, V, VII, and X collagens. Recombinant human MMP-2 is a 62.0 kDa protein containing the entire catalytic N-terminal domain and the C-terminal domain (552 amino acids).

BiologicalActivity

MMP-2 activity was measured by its ability to cleave a chromogenic peptide MMP-2 substrate at room temperature. At an MMP-2 concentration of 2.5 μ g/ml, 50% cleavage was achieved at an incubation time of approximately 25 minutes.

Authenticity Verified by N-terminal and Mass Spectrometry analyses (when applicable).

Endotoxin Endotoxin level is <0.1 ng/ μg of protein (<1EU/ μg).

Protein Content Verified by UV Spectroscopy and/or SDS-PAGE gel.

Storage -20°C

Precautions

Recombinant Human MMP-2 is for research use only and not for use in diagnostic or therapeutic procedures.

Recombinant Human MMP-2 - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- <u>Dot Blot</u>
- Immunohistochemistry
- Immunofluorescence



- Immunoprecipitation
- <u>Flow Cytomety</u>
 <u>Cell Culture</u>

Recombinant Human MMP-2 - Images