

Recombinant Human NOV

Catalog # PBG10336

Specification

Recombinant Human NOV - Product Information

Recombinant Human NOV - Additional Information

Description

NOV is a member of the CCN family of secreted cysteine rich regulatory proteins. The full length NOV protein contains four structural domains that confer distinct, and sometimes opposing, biological activities. Elevated expression of NOV is associated with certain tumors, including Wilm's tumor and most nephroblastomas. However, in other tumor types and certain cancer cell lines, increased tumorgenicity and proliferation is correlated with decreased NOV expression. Additionally, NOV induces cell adhesion and cell migration by signaling through specific cell surface integrins and by binding to heparin sulfate proteoglycans and to fibulin 1C. NOV has also been reported to exert proangiogenic activities. Recombinant human NOV is a 36.2 kDa protein containing 331 amino acid residues. It is composed of four distinct structural domains (modules); the IGF binding protein (IGFBP) domain, the von Willebrand Factor C (VWFC) domain, the Thrombospondin type-I (TSP type-1) domain, and a C-terminal cysteine knot-like domain (CTCK).

BiologicalActivity Determined by a cell proliferation assay using BALB/c 3T3 cells. The expected ED₅₀ for this effect is 1.0-2.0 µg/ml

Authenticity Verified by N-terminal and Mass Spectrometry analyses (when applicable).

Endotoxin Endotoxin level is <0.1 ng/ μ g of protein (<1EU/ μ g).

Protein Content Verified by UV Spectroscopy and/or SDS-PAGE gel.

Storage -20°C

Precautions

Recombinant Human NOV is for research use only and not for use in diagnostic or therapeutic procedures.

Recombinant Human NOV - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot



- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Recombinant Human NOV - Images