

MBD2a Blocking Peptide
Catalog # PBV10091b**Specification**

MBD2a Blocking Peptide - Product Information

Primary Accession [BOBNM2](#)
Gene ID **680172**

MBD2a Blocking Peptide - Additional Information**Application & Usage**

The peptide is used for blocking the antibody activity of MBD2a. It usually blocks the antibody activity completely in Western blot analysis by incubating the peptide with equal volume of antibody for 30-60 minutes at 37°C.

Target/Specificity
MBD2

Formulation
50 µg (0.2 mg/ml) in phosphate buffered saline (PBS), pH 7.2, containing 0.1% BSA and 0.02% thimerosal.

Reconstitution & Storage
-20 °C

Background Descriptions**Precautions**

MBD2a Blocking Peptide is for research use only and not for use in diagnostic or therapeutic procedures.

MBD2a Blocking Peptide - Protein Information**MBD2a Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

MBD2a Blocking Peptide - Images