

EndoG Blocking Peptide
Catalog # PBV10133b**Specification**

EndoG Blocking Peptide - Product Information

Other Accession [NP_001030110.1](#)
Gene ID **362100**

EndoG Blocking Peptide - Additional Information**Application & Usage**

The peptide is used for blocking the antibody activity of EndoG. It usually blocks the antibody activity completely in Western blot analysis by incubating the peptide with equal volume of antibody for 30-60 minutes at 37°C.

Target/Specificity
EndoG

Formulation

50 µg (0.5 mg/ml) in phosphate buffered saline (PBS), pH 7.2, containing 50% glycerol, 1% BSA and 0.02% thimerosal.

Reconstitution & Storage
-20 °C

Background Descriptions**Precautions**

EndoG Blocking Peptide is for research use only and not for use in diagnostic or therapeutic procedures.

EndoG Blocking Peptide - Protein Information**EndoG Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

EndoG Blocking Peptide - Images