

DMP1 Blocking Peptide
Catalog # PBV10389b**Specification**

DMP1 Blocking Peptide - Product Information

Other Accession [EDL99499](#)
Gene ID [25312](#)

DMP1 Blocking Peptide - Additional Information

Application & Usage **The peptide is used for blocking the antibody activity of DMP1. It usually blocks the antibody activity completely in Western blot analysis by incubating the peptide with equal volume of antibody for 30-60 minutes at 37°C.**

Target/Specificity
DMP1

Formulation
50 µg (0.5 mg/ml) in phosphate buffered saline (PBS), pH 7.2, containing 50% glycerol, 1% BSA and 0.02% thimerosal.

Reconstitution & Storage
-20 °C

Background Descriptions

Precautions
DMP1 Blocking Peptide is for research use only and not for use in diagnostic or therapeutic procedures.

DMP1 Blocking Peptide - Protein Information**DMP1 Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

DMP1 Blocking Peptide - Images