

BMI-1 Blocking Peptide
Catalog # PBV10443b**Specification**

BMI-1 Blocking Peptide - Product Information

Primary Accession	B4F7B6
Other Accession	NP_001100838
Gene ID	307151

BMI-1 Blocking Peptide - Additional Information

Application & Usage	The peptide is used for blocking the antibody activity of BMI-1. It usually blocks the antibody activity completely in Western blot analysis by incubating the peptide with equal volume of antibody for 30-60 minutes at 37°C.
---------------------	--

Target/Specificity
BMI-1

Formulation
50 µg (0.5 mg/ml) in phosphate buffered saline (PBS), pH 7.2, containing 50% glycerol, 1% BSA and 0.02% thimerosal.

Reconstitution & Storage
-20 °C

Background Descriptions

Precautions
BMI-1 Blocking Peptide is for research use only and not for use in diagnostic or therapeutic procedures.

BMI-1 Blocking Peptide - Protein Information**BMI-1 Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)

- [Flow Cytometry](#)
- [Cell Culture](#)

BMI-1 Blocking Peptide - Images