

DYKDDDDK-Tag Blocking Peptide
Catalog # PBV10478b**Specification**

DYKDDDDK-Tag Blocking Peptide - Product Information**DYKDDDDK-Tag Blocking Peptide - Additional Information****Application & Usage**

The peptide is used for blocking the antibody activity of AMPK. It usually blocks the antibody activity completely in Western blot analysis by incubating the peptide with equal volume of antibody for 30-60 minutes at 37°C.

Target/Specificity

DYKDDDDK-Tag

Formulation

50 µg (0.5 mg/ml) in phosphate buffered saline (PBS), pH 7.2, containing 50% glycerol, 1% BSA and 0.02% thimerosal.

Reconstitution & Storage

-20 °C

Background Descriptions**Precautions**

DYKDDDDK-Tag Blocking Peptide is for research use only and not for use in diagnostic or therapeutic procedures.

DYKDDDDK-Tag Blocking Peptide - Protein Information**DYKDDDDK-Tag Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DYKDDDDK-Tag Blocking Peptide - Images

