

# Human CellExp HMGB1 /HMG1, human recombinant protein

HMGB1, HMG1, HMG3, SBP-1 Catalog # PBV10870r

#### **Specification**

### Human CellExp HMGB1 /HMG1, human recombinant protein - Product info

Primary Accession Calculated MW P09429

The protein is fused with 6×His tag at the C-terminus, has a calculated MW of 25.7 kDa. The predicted N-terminus is Met1. DTT-reduced Protein migrates as 28 kDa and 32 kDa due to different glycosylation.

**KDa** 

## Human CellExp HMGB1 /HMG1, human recombinant protein - Additional Info

Gene ID 3146
Gene Symbol HMGB1
Other Names

HMGB1, HMG1, HMG3, SBP-1

Gene Source
Source
Human
HEK 293 cells
Assay&Purity
Assay2&Purity2
Recombinant
HEK 293 cells
SDS-PAGE; ≥95%
HPLC;
Yes

Target/Specificity

HMGB1

#### **Application Notes**

Centrifuge the vial prior to opening. Reconstitute in sterile PBS, pH 7.4 to a concentration of 50  $\mu$ g/ml. Do not vortex. This solution can be stored at 2-8°C for up to 1 month. For extended storage, it is recommended to store at -20°C.

#### **Format**

Lyophilized powder

## **Storage**

-20°C; Lyophilized from 0.22  $\mu m$  filtered solution in PBS. Generally 5-8% Mannitol or trehalose is added as a protectant before lyophilization.

#### Human CellExp HMGB1 /HMG1, human recombinant protein - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot



- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

### Human CellExp HMGB1 /HMG1, human recombinant protein - Images

## Human CellExp HMGB1 /HMG1, human recombinant protein - Background

High-mobility group protein B1 (HMGB1), also known as high-mobility group protein 1 (HMG-1) and amphoterin, is a member of the HMGB family consisting of three members, HMGB1, HMGB2 and HMGB3. HMGB1 is a non-histone architectural chromosomal protein ubiquitously present in all vertebrate nuclei and binds double-stranded DNA without sequence specificity. The mechanism of inflammation and damage is binding to TLR4, which mediates HMGB1-dependent activation of macrophage cytokine release. This positions HMGB1 at the intersection of sterile and infectious inflammatory responses. HMGB1 has been studied as a DNA vaccine adjuvant and a target for cancer therapy.

## Human CellExp HMGB1 /HMG1, human recombinant protein - References

Wen L.,et al.Nucleic Acids Res. 17:1197-1214(1989).
Ferrari S.,et al.Genomics 35:367-371(1996).
Xiang Y.-Y.,et al.Int. J. Cancer 74:1-6(1997).
Kornblit B.,et al.Tissue Antigens 70:151-156(2007).
He F.T.,et al.Submitted (SEP-2003) to the EMBL/GenBank/DDBJ databases.