

SKIL / SNO / SnoN Antibody (N-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS11444**Specification**

SKIL / SNO / SnoN Antibody (N-Terminus) - Product Information

Application	IF, WB, IHC
Primary Accession	P12757
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	77kDa KDa

SKIL / SNO / SnoN Antibody (N-Terminus) - Additional Information**Gene ID** 6498**Other Names**

Ski-like protein, Ski-related oncogene, Ski-related protein, SKIL, SNO

Target/Specificity

16 amino acid peptide from near the amino terminus of human SnoN

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions

SKIL / SNO / SnoN Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

SKIL / SNO / SnoN Antibody (N-Terminus) - Protein Information**Name** SKIL**Synonyms** SNO**Function**

May have regulatory role in cell division or differentiation in response to extracellular signals.

Tissue Location


Isoform SNOA and isoform SNOB are widely expressed. Highest expression is found in skeletal muscle, followed by placenta and lung. Lowest expression in heart, brain and pancreas. Isoform SNOI expression is restricted to skeletal muscle

SKIL / SNO / SnoN Antibody (N-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


SKIL / SNO / SnoN Antibody (N-Terminus) - Images




Immunofluorescence of SnoN in Mouse Lung cells with SnoN antibody at 20 ug/ml.



Western blot of SnoN in A431 cell lysate with SnoN antibody at (A) 0.5 and (B) 1 ug/ml.



Anti-SKIL antibody IHC of human placenta.



Anti-SKIL antibody IHC of human lung, respiratory epithelium.

SKIL / SNO / SnoN Antibody (N-Terminus) - Background

May have regulatory role in cell division or differentiation in response to extracellular signals.

SKIL / SNO / SnoN Antibody (N-Terminus) - References

- Nomura N.,et al.Nucleic Acids Res. 17:5489-5500(1989).
Pearson-White S.H.,et al.Nucleic Acids Res. 25:2930-2937(1997).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Muzny D.M.,et al.Nature 440:1194-1198(2006).
Pearson-White S.,et al.Nucleic Acids Res. 21:4632-4638(1993).