

# CD59 Antibody (clone MEM-43/5)

Mouse Monoclonal Antibody Catalog # ALS11974

## **Specification**

### CD59 Antibody (clone MEM-43/5) - Product Information

Application IHC Primary Accession P13987

Reactivity Human, Mouse

Host Mouse
Clonality Monoclonal
Calculated MW 14kDa KDa

# CD59 Antibody (clone MEM-43/5) - Additional Information

#### Gene ID 966

### **Other Names**

CD59 glycoprotein, 1F5 antigen, 20 kDa homologous restriction factor, HRF-20, HRF20, MAC-inhibitory protein, MAC-IP, MEM43 antigen, Membrane attack complex inhibition factor, MACIF, Membrane inhibitor of reactive lysis, MIRL, Protectin, CD59, CD59, MIC11, MIN1, MIN2, MIN3, MSK21

### Target/Specificity

Thymocytes and T lymphocytes

### **Reconstitution & Storage**

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

#### **Precautions**

CD59 Antibody (clone MEM-43/5) is for research use only and not for use in diagnostic or therapeutic procedures.

# CD59 Antibody (clone MEM-43/5) - Protein Information

### Name CD59

Synonyms MIC11, MIN1, MIN2, MIN3, MSK21

### **Function**

Potent inhibitor of the complement membrane attack complex (MAC) action. Acts by binding to the C8 and/or C9 complements of the assembling MAC, thereby preventing incorporation of the multiple copies of C9 required for complete formation of the osmolytic pore. This inhibitor appears to be species-specific. Involved in signal transduction for T-cell activation complexed to a protein tyrosine kinase.

### **Cellular Location**

Cell membrane; Lipid-anchor, GPI-anchor. Secreted. Note=Soluble form found in a number of




tissues

# CD59 Antibody (clone MEM-43/5) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# CD59 Antibody (clone MEM-43/5) - Images



Anti-CD59 antibody IHC of human skin, pilosebaceous unit.

# CD59 Antibody (clone MEM-43/5) - Background

Potent inhibitor of the complement membrane attack complex (MAC) action. Acts by binding to the C8 and/or C9 complements of the assembling MAC, thereby preventing incorporation of the multiple copies of C9 required for complete formation of the osmolytic pore. This inhibitor appears to be species-specific. Involved in signal transduction for T-cell activation complexed to a protein tyrosine kinase.

## CD59 Antibody (clone MEM-43/5) - References

Davies A., et al.J. Exp. Med. 170:637-654(1989). Philbrick W.M., et al.Eur. J. Immunol. 20:87-92(1990). Okada H., et al.Biochem. Biophys. Res. Commun. 162:1553-1559(1989). Sugita Y., et al.J. Biochem. 106:555-557(1989). Sawada R., et al.DNA Cell Biol. 9:213-220(1990).