

### BDNF Antibody

Goat Polyclonal Antibody Catalog # ALS12984

### Specification

## **BDNF Antibody - Product Information**

Application Primary Accession Reactivity

Host Clonality Calculated MW IHC <u>P23560</u> Human, Mouse, Rat, Hamster, Monkey, Pig, Horse, Bovine, Guinea Pig, Dog Goat Polyclonal 28kDa KDa

## **BDNF** Antibody - Additional Information

Gene ID 627

Other Names Brain-derived neurotrophic factor, BDNF, Abrineurin, BDNF

**Target/Specificity** Human BDNF. This antibody is expected to recognise all reported isoforms (NP\_001700.2; NP\_001700.2; NP\_733928.1; NP\_733929.1; NP\_733930.1; NP\_733931.1)

**Reconstitution & Storage** Store at -20°C. Minimize freezing and thawing.

**Precautions** BDNF Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

#### **BDNF Antibody - Protein Information**

Name BDNF {ECO:0000303|PubMed:28397838, ECO:0000312|HGNC:HGNC:1033}

Function

Important signaling molecule that activates signaling cascades downstream of NTRK2 (PubMed:<a href="http://www.uniprot.org/citations/11152678" target="\_blank">11152678</a>). During development, promotes the survival and differentiation of selected neuronal populations of the peripheral and central nervous systems. Participates in axonal growth, pathfinding and in the modulation of dendritic growth and morphology. Major regulator of synaptic transmission and plasticity at adult synapses in many regions of the CNS. The versatility of BDNF is emphasized by its contribution to a range of adaptive neuronal responses including long-term potentiation (LTP), long-term depression (LTD), certain forms of short-term synaptic plasticity, as well as homeostatic regulation of intrinsic neuronal excitability.

Cellular Location Secreted



#### **Tissue Location**


Detected in blood plasma and in saliva (at protein level) (PubMed:11152678, PubMed:19467646). Brain. Highly expressed in hippocampus, amygdala, cerebral cortex and cerebellum. Also expressed in heart, lung, skeletal muscle, testis, prostate and placenta

#### **BDNF Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

## **BDNF Antibody - Images**



Anti-BDNF antibody IHC of human brain, cortex.

### BDNF Antibody - Background

During development, promotes the survival and differentiation of selected neuronal populations of the peripheral and central nervous systems. Participates in axonal growth, pathfinding and in the modulation of dendritic growth and morphology. Major regulator of synaptic transmission and plasticity at adult synapses in many regions of the CNS. The versatility of BDNF is emphasized by its contribution to a range of adaptive neuronal responses including long-term potentiation (LTP), long-term depression (LTD), certain forms of short-term synaptic plasticity, as well as homeostatic regulation of intrinsic neuronal excitability.

# **BDNF Antibody - References**

Jones K.R., et al. Proc. Natl. Acad. Sci. U.S.A. 87:8060-8064(1990). Maisonpierre P.C., et al. Genomics 10:558-568(1991). Shintani A., et al. Biochem. Biophys. Res. Commun. 182:325-332(1992). Liu Q.-R., et al.Am. J. Med. Genet. B Neuropsychiatr. Genet. 134:93-103(2005). Pruunsild P., et al. Genomics 90:397-406(2007).