

RNF148 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP12970b

Specification

RNF148 Antibody (C-term) - Product Information

WB,E Application **Primary Accession 08N7C7** NP 932<u>351.1</u> Other Accession Reactivity Human Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 34397 Antigen Region 206-234

RNF148 Antibody (C-term) - Additional Information

Gene ID 378925

Other Names

RING finger protein 148, RNF148

Target/Specificity

This RNF148 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 206-234 amino acids from the C-terminal region of human RNF148.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

RNF148 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

RNF148 Antibody (C-term) - Protein Information

Name RNF148 (<u>HGNC:22411</u>)

Cellular Location

Membrane; Single-pass membrane protein



Tel: 858.875.1900 Fax: 858.875.1999

Tissue Location


Abundantly expressed in testis and slightly in pancreas. Mainly present in the interstitial cells of testicular tissues.

RNF148 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

RNF148 Antibody (C-term) - Images



RNF148 Antibody (C-term) (Cat. #AP12970b) western blot analysis in human normal Uterus tissue lysates (35ug/lane). This demonstrates the RNF148 antibody detected the RNF148 protein (arrow).

RNF148 Antibody (C-term) - Background

RNF148 contains one PA (protease associated) domain and one RING-type zinc finger. The exact function of RNF148 remains unknown.

RNF148 Antibody (C-term) - References

Saurin, A.J., et al. Trends Biochem. Sci. 21(6):208-214(1996)