

RPL23A Antibody (Center)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP1939c**Specification**

RPL23A Antibody (Center) - Product Information

Application	WB,E
Primary Accession	P62750
Other Accession	P62752 , P62751 , Q24JY1 , G1SE76
Reactivity	Human, Mouse
Predicted	Bovine, Rabbit, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	17695
Antigen Region	44-73

RPL23A Antibody (Center) - Additional Information**Gene ID** 6147**Other Names**

60S ribosomal protein L23a, RPL23A

Target/Specificity

This RPL23A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 44-73 amino acids from the Central region of human RPL23A.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

RPL23A Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

RPL23A Antibody (Center) - Protein Information**Name** RPL23A**Function** Component of the large ribosomal subunit (PubMed:[23636399](#), PubMed:[32669547](#)). The

ribosome is a large ribonucleoprotein complex responsible for the synthesis of proteins in the cell (PubMed:[23636399](#), PubMed:[32669547](#)). Binds a specific region on the 26S rRNA (PubMed:[23636399](#), PubMed:[32669547](#)). May promote p53/TP53 degradation possibly through the stimulation of MDM2-mediated TP53 polyubiquitination (PubMed:[26203195](#)).

Cellular Location


Cytoplasm. Nucleus Note=Although RPL23A is functional within the cytoplasm, the assembly of ribosomal subunits occurs in the nucleus. RPL23A nuclear import is mediated by IPO5/RanBP5, IPO7/RanBP7, KPNB1/importin-beta or TPNO1/Trn

RPL23A Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

RPL23A Antibody (Center) - Images



Western blot analysis of anti-RPL23A Antibody (Center)(Cat.#AP1939c) in NCI-H460 cell line lysates (35ug/lane). RPL23A(arrow) was detected using the purified Pab.

RPL23A Antibody (Center) - Background

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. RPL23A is a ribosomal protein that is a component of the 60S subunit. The protein belongs to the L23P family of ribosomal proteins. It is located in the cytoplasm. The protein may be one of the target molecules involved in mediating growth inhibition by interferon. In yeast, the corresponding protein binds to a specific site on the 26S rRNA. This gene is co-transcribed with the U42A, U42B, U101A, and U101B small nucleolar RNA genes, which are located in its third, first, second, and fourth introns, respectively.

RPL23A Antibody (Center) - References

Uechi, T., et al., Genomics 72(3):223-230 (2001).
Fan, W., et al., Genomics 46(2):234-239 (1997).
Jiang, H., et al., Oncogene 14(4):473-480 (1997).
Fan, W., et al., Immunogenetics 44(2):97-103 (1996).
Wool, I.G., et al., Biochem. Cell Biol. 73 (11-12), 933-947 (1995).