

ELF5 Antibody (Center)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP7394C

Specification

ELF5 Antibody (Center) - Product Information

Application WB,E
Primary Accession Q9UKW6

Other Accession
Reactivity

Q8VDK3, Q58DT0
Human, Mouse

Predicted Bovine
Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Antigen Region 179-207

ELF5 Antibody (Center) - Additional Information

Gene ID 2001

Other Names

ETS-related transcription factor Elf-5, E74-like factor 5, Epithelium-restricted ESE-1-related Ets factor, Epithelium-specific Ets transcription factor 2, ESE-2, ELF5, ESE2

Target/Specificity

This ELF5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 179-207 amino acids from the Central region of human ELF5.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ELF5 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ELF5 Antibody (Center) - Protein Information

Name ELF5

Synonyms ESE2



Function Transcriptionally activator that may play a role in regulating the later stages of keratinocytes terminal differentiation.

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00237}.

Tissue Location


Expressed exclusively in tissues with a high content of epithelial cells. Highly expressed in salivary gland, mammary gland, kidney and prostate. Weakly expressed in placenta and lung. Isoform 1 and isoform 2 are differentially expressed in different tissues. In the kidney, only isoform 1 was expressed, while prostate expressed both isoforms, with levels of isoform 2 being higher Expression is up-regulated during keratinocyte differentiation. Several epithelial carcinoma cell lines showed lack of expression

ELF5 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

ELF5 Antibody (Center) - Images



Western blot analysis of ELF5 Antibody (Center) (Cat. #AP7394c) in MCF7(lane 1),T47D cell line lysates(lane 2) and mouse lung tissues(lane 3) lysates(35ug/lane). ELF5 (arrow) was detected using the purified Pab.





Western blot analysis of ELF5 (arrow) using rabbit polyclonal ELF5 Antibody (Center) (Cat. #AP7394c). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the ELF5 gene.

ELF5 Antibody (Center) - Background

ELF5 is a member of an epithelium-specific subclass of the Ets transcritpion factor family. In addition to its role in regulating the later stages of terminal differentiation of keratinocytes, it appears to regulate a number of epithelium-specific genes found in tissues containing glandular epithelium such as salivary gland and prostate. It has very low affinity to DNA due to its negative regulatory domain at the amino terminus.

ELF5 Antibody (Center) - References

Choi,Y.S., Biochem. J. 398 (3), 497-507 (2006) Tummala,R., J. Cell. Biochem. 97 (4), 766-781 (2006)