

ELOVL6 Antibody

Catalog # ASC10681

Specification

ELOVL6 Antibody - Product Information

Application Primary Accession Other Accession Reactivity Host

Clonality Isotype

Calculated MW

Application Notes

WB, IHC, IF

Q9H5J4

NP_076995, 13129088 Human, Mouse, Rat

Rabbit Polyclonal

IgG

Predicted: 29 kDa

Observed: 28 kDa KDa

ELOVL6 antibody can be used for detection of ELOVL6 by Western blot at 1 - 2 μg/mL.

Antibody can also be used for

immunohistochemistry starting at 5 μ g/mL. For immunofluorescence start at 20 μ g/mL.

ELOVL6 Antibody - Additional Information

Gene ID Target/Specificity

ELOVL6:

79071

Reconstitution & Storage

ELOVL6 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

Precautions

ELOVL6 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

ELOVL6 Antibody - Protein Information

Name ELOVL6 {ECO:0000255|HAMAP-Rule:MF 03206}

Synonyms FACE, LCE

Function

Catalyzes the first and rate-limiting reaction of the four reactions that constitute the long-chain fatty acids elongation cycle. This endoplasmic reticulum-bound enzymatic process allows the addition of 2 carbons to the chain of long- and very long-chain fatty acids (VLCFAs) per cycle. Condensing enzyme that elongates fatty acids with 12, 14 and 16 carbons with higher activity toward C16:0 acyl-CoAs. Catalyzes the synthesis of unsaturated C16 long chain fatty acids and, to a lesser extent, C18:0 and those with low desaturation degree. May participate in the production



of saturated and monounsaturated VLCFAs of different chain lengths that are involved in multiple biological processes as precursors of membrane lipids and lipid mediators.

Cellular Location

Endoplasmic reticulum membrane {ECO:0000255|HAMAP-Rule:MF_03206, ECO:0000269|PubMed:20937905}; Multi- pass membrane protein {ECO:0000255|HAMAP-Rule:MF_03206}


Tissue Location Ubiquitous..

ELOVL6 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

ELOVL6 Antibody - Images




Western blot analysis of ELOVL6 in Human brain tissue lysate with ELOVL6 antibody at (A) 1 and (B) 2 μ g/mL.





Immunohistochemistry of ELOVL6 in human brain tissue with ELOVL6 antibody at 5 µg/mL.



Immunofluorescence of ELOVL6 in Human Brain tissue with ELOVL6 antibody at 20 μg/mL.

ELOVL6 Antibody - Background

ELOVL6 Antibody: Lipogenesis is a key event in the energy storage system and is controlled by the transcription factor sterol regulatory element-binding protein (SREBP)-1. Elongation of very long chain fatty acids protein 6 (ELOVL6) is a member of fatty acyl-CoA elongase gene family that converts palmitic to stearic acid and it has been shown to be a target of SREBP-1, playing an important role in de novo synthesis of long-chain saturated and monosaturated fatty acids in conjunction with fatty acid synthase and stearoyl-CoA desaturase ELOVL6 was predicted to be important for tissue fatty acid composition. Recent studies suggest that inhibition of this elongase could be a new therapeutic approach for ameliorating insulin resistance, diabetes and cardiovascular risks, even in the presence of a continuing state of obesity.

ELOVL6 Antibody - References

Moon YA, Shah NA, Mohapatra S, et al. Identification of a mammalian long chain fatty acyl elongase regulated by sterol regulatory element-binding proteins. J. Biol. Chem. 2001; 276:45358-66. Matsuzaka T, Shimano H, Yahaqi N, et al. Cloning and characterization of a mammalian fatty acyl-CoA elongase as a lipogenic enzyme regulated by SREBPs. J. Lipid Res. 2002; 43:911-20. Matsuzaka T, Shimano H, Yahaqi N, et al. Crucial role of a long-chain fatty acid elongase, Elovl6, in obesity-induced insulin resistance. Nat. Med. 2007; 13:1193 -202.