

F(ab')2 Anti-Goat IgG (H&L) Secondary Antibody

Rabbit Polyclonal, Unconjugated Catalog # ASR1849

Specification

F(ab')2 Anti-Goat IgG (H&L) Secondary Antibody - Product Information

Description F(ab')2 Anti-GOAT IgG (H&L)

(RABBIT) Antibody Min X Human Serum

Proteins Rabbit

Host Rabbit Conjugate Unconjugated

Target Species Goat
Clonality Polyclonal
Application ,1,10,15,

Application Note ELISA 1:20,000-1:100,000; Western Blot

1:2,000-1:10,000;Immunochemistry

1:1,000-1:5,000

Physical State Liquid (sterile filtered)

Host Isotype IgG F(ab')2
Target Isotype IgG (H&L)

Buffer 0.01 M Sodium Phosphate, 0.25 M Sodium

Chloride, pH 7.2

Immunogen Goat IgG whole molecule

Species of Origin
Stabilizer
None

Preservative 0.01% (w/v) Sodium Azide

F(ab')2 Anti-Goat IgG (H&L) Secondary Antibody - Additional Information

Shipping Condition

Wet Ice

Purity

F(ab')2 Anti-GOAT IgG (H&L) (RABBIT) Antibody was prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. F(ab')2 Anti-GOAT IgG (H&L) (RABBIT) Antibody assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Goat IgG and Goat Serum. No reaction was observed against anti-Pepsin, anti-Rabbit IgG F(c) or Human Serum Proteins.

Storage Condition

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

F(ab')2 Anti-Goat IgG (H&L) Secondary Antibody - Protein Information



F(ab')2 Anti-Goat IgG (H&L) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

F(ab')2 Anti-Goat IgG (H&L) Secondary Antibody - Images

F(ab')2 Anti-Goat IgG (H&L) Secondary Antibody - Background

F(ab')2 anti-Goat IgG (H&L) antibody generated in rabbit detects specifically Goat IgG whole molecule. F(ab')2 anti-Goat IgG antibody is ideal for investigators involved in Serum Protein Component research.