

# NPSR1 Antibody (C-term) Blocking peptide

Synthetic peptide Catalog # BP10683b

### **Specification**

## NPSR1 Antibody (C-term) Blocking peptide - Product Information

**Primary Accession** 

**Q6W5P4** 

# NPSR1 Antibody (C-term) Blocking peptide - Additional Information

**Gene ID 387129** 

#### **Other Names**

Neuropeptide S receptor, G-protein coupled receptor 154, G-protein coupled receptor PGR14, G-protein coupled receptor for asthma susceptibility, NPSR1, GPR154, GPRA, PGR14

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### NPSR1 Antibody (C-term) Blocking peptide - Protein Information

Name NPSR1

Synonyms GPR154, GPRA, PGR14

#### **Function**

G-protein coupled receptor for neuropeptide S (NPS) (PubMed: <a

href="http://www.uniprot.org/citations/16790440" target="\_blank">16790440</a>). Promotes mobilization of intracellular Ca(2+) stores (PubMed:<a

href="http://www.uniprot.org/citations/16790440" target="\_blank">16790440</a>). Inhibits cell growth in response to NPS binding (PubMed:<a href="http://www.uniprot.org/citations/15947423" target="\_blank">15947423</a>). Involved in pathogenesis of asthma and other IgE- mediated diseases.

#### **Cellular Location**

[Isoform 1]: Cell membrane; Multi-pass membrane protein [Isoform 4]: Cell membrane; Multi-pass membrane protein [Isoform 5]: Cytoplasm [Isoform 7]: Cytoplasm

### **Tissue Location**

Isoform 4 is ubiquitous; it is detected in glandular epithelia of bronchus, stomach, small intestine, colon, uterus, esophagus, spleen, kidney, pancreas, prostate and breast Isoform 1 is detected in



uterus, colon and prostate, and in the smooth muscle cell layer in bronchial and arterial walls (at protein level) (PubMed:15947423). Isoform 1 is predominantly expressed in smooth muscle. Isoform 4 is predominantly expressed in epithelial cells. In bronchial biopsies, it is expressed in smooth muscle cells of asthma patients, but not in control patients; whereas in epithelial cells, its expression is consistently stronger in asthma patients

## NPSR1 Antibody (C-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

#### Blocking Peptides

NPSR1 Antibody (C-term) Blocking peptide - Images

## NPSR1 Antibody (C-term) Blocking peptide - Background

NPSR1 is a member of the G protein-coupled receptor 1family and encodes a plasma membrane protein. Increased expression of this gene in ciliated cells of the respiratory epithelium and inbronchial smooth muscle cells is associated with asthma.

### NPSR1 Antibody (C-term) Blocking peptide - References

Raczka, K.A., et al. Mol. Psychiatry 15 (11), 1045 (2010) :Bailey, S.D., et al. Diabetes Care 33(10):2250-2253(2010)Donner, J., et al. Biol. Psychiatry 68(5):474-483(2010)Domschke, K., et al. Mol. Psychiatry (2010) In press :Schuurhof, A., et al. Pediatr. Pulmonol. 45(6):608-613(2010)