10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

FAM3C Antibody (C-term) Blocking Peptide

Synthetic peptide
Catalog # BP16888b

Specification

FAM3C Antibody (C-term) Blocking Peptide - Product Information

Primary Accession Q92520

FAM3C Antibody (C-term) Blocking Peptide - Additional Information

Gene ID 10447

Other Names
Protein FAM3C, Interleukin-like EMT inducer, FAM3C, ILEI

Format
Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage
Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions
This product is for research use only. Not for use in diagnostic or therapeutic procedures.

FAM3C Antibody (C-term) Blocking Peptide - Protein Information

Name FAM3C

Synonyms ILEI

Function
May be involved in retinal laminar formation. Promotes epithelial to mesenchymal transition.

Cellular Location
Secreted. Cytoplasmic vesicle. Note=Cytoplasmic in some cancer cells

Tissue Location
Present in most secretory epithelia (at protein level).

FAM3C Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Blocking Peptides

FAM3C Antibody (C-term) Blocking Peptide - Images

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

FAM3C Antibody (C-term) Blocking Peptide - Background

This gene is a member of the family with sequencesimilarity 3 (FAM3) family and encodes a secreted protein with a GGdomain. A change in expression of this protein has been noted inpancreatic cancer-derived cells.

FAM3C Antibody (C-term) Blocking Peptide - References

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) :Cho, Y.S., et al. Nat. Genet. 41(5):527-534(2009)Xiao, F., et al. Brain Res. 1255, 180-189 (2009) :Sugiyama, N., et al. Mol. Cell Proteomics 6(6):1103-1109(2007)Waerner, T., et al. Cancer Cell 10(3):227-239(2006)